# JAX MAGNA-PLATE® 80 SERIES

NSF H1 100% SYNTHETIC OIL FOR EXTREME LOW TEMPERATURE LUBRICATION



**FOOD GRADE** 

#### PRODUCT DESCRIPTION

JAX Magna-Plate 80 Series food grade lubricants are compounded specifically to provide oil lubrication in extreme cold environments often found in food processing plants. The base fluids are 100% synthetic and NSF H1 food grade registered. JAX Magna-Plate 80 Series meets the requirements of 21 CFR 178.3570 (lubricants with incidental food contact). Whether you maintain ice cream manufacturing equipment, vegetable freezing tunnels or any other extremely low temperature food processing equipment, the JAX Magna-Plate 80 Series is the best solution in converting extreme low temperature processing applications to an effective food grade lubrication solution.

#### PRODUCT BENEFITS

- **Excellent Low Temperature Performance**—Extremely low pour points, with sufficient body to lubricate at many temperatures.
- **Food Grade Tackifier**—Prevents excessive dripping in low temperatures and in case ambient temperatures rise.
- **Superior Additive Performance**—Formulated with advanced additive technologies to provide superior performance over competitive low temperature, food grade oils.
- Micronox® Technology

  —A groundbreaking advance in food grade technology with
  exceptional performance in preserving and protecting food grade lubricants from
  microbial contamination.
- NSF H1 Registered
- Kosher and Parve Certified
- JAX Magna-Plate 86 is available in both Aerosol and Trigger Spray

## **APPLICATIONS**

- Extreme low temperature food processing equipment
- Vegetable freezing tunnels
- Ice cream manufacturing equipment
- Low temperature bearings
- Spiral freezers
- Gearboxes
- Mist or spray chain lubricators
- Cam rollers
- Slide valves
- Drip lubrication systems
- Oil bearings
- Anywhere an NSF H1 registered lubricant is needed in low temperature situations

### **COMPATIBILITY**

JAX Magna-Plate 80 Series is compatible with mineral oils and most synthetic oils\*. For optimum performance, it is recommended that the system be thoroughly drained and, if warranted, cleaned prior to installation.

\*JAX Magna-Plate 80 Series, as well as other synthetic or mineral based oils, are not compatible with polyglycol type gear lubricants. Thorough flushing prior to changeover is required.





## JAX MAGNA-PLATE® 80 SERIES

BULK						
TYPICAL PROPERTIES	MAGNA-PLATE 80	MAGNA-PLATE 86	MAGNA-PLATE 88	METHOD		
Viscosity @ 40°C, cSt	12.6	32.9	118.8	ASTM D 445		
Viscosity @ -40°C, cSt	1,800	12,100	140,775			
Viscosity @ 100°C, cSt	3.2	6.3	14.8	ASTM D 445		
Viscosity Index	121	145	128	ASTM D 2270		
ISO Viscosity Grade (Approx.)	10-15	32	100	ASTM D 2422		
SAE Viscosity Grade	5	10	30-45	SAE J300		
Pour Point °F (°C)	-85 (-65)	-76 (-60)	-33 (-36)	ASTM D 97		
Flash Point °F (°C)	374 (190)	464 (240)	450 (232)	ASTM D 92		
Fire Point °F (°C)	414 (212)	518 (270)	536 (280)	ASTM D 92		
Specific Gravity	0.8160	0.8314	0.8473	ASTM D 1298		
Color	Clear	Clear	Clear			
Four-Ball Wear, mm	0.34	0.34	0.33	ASTM D 4172		
Micronox® Technology	Yes	Yes	Yes			
NSF Registration No. / Category Code	124533 / H1	124532 / H1	124531 / H1			

AEROSOL					
TYPICAL PROPERTIES	MAGNA-PLATE 86	METHOD			
Propellant	Propane and n-Butane				
Flash Point	464°F (240°C) Concentrate -94°F (-70°C) Propellant	ASTM D 92			
Pour Point	-76°F (-60°C) Concentrate	ASTM D 92			
Spray Pattern	Narrow Stream				
Viscosity @ 40°C	32.6 cSt Concentrate	ASTM D 445			
Specific Gravity	0.8314 Concentrate	ASTM D 1298			
Texture	Light Film Oil				
Appearance	Clear				
Consistency	Light				
NSF Registration No. / Category Code	072192 / H1				

JAX products undergo continual improvement in formulation and manufacture. The values indicated in this PDS are typical production values at the time of this writing. JAX reserves the right to alter and update product data and typical values at any time without notice. It is the responsibility of the installer and/or purchaser to determine if these specifications are adequate and proper for the intended application. MSDS information may be found at www.jax.com or by contacting JAX INC.

CONTAINER SIZE	MAGNA-PLATE 80	MAGNA-PLATE 86	MAGNA-PLATE 88	
2000 Pound Tote	00800-276	00860-276	00880-276	
400 Pound Drum	00800-400	00860-400	00880-400	
120 Pound Keg	00800-120	00860-120	00880-120	
35 Pound Pail	00800-035	00860-035	00880-035	
Gallon (4/cs)	00800-004	00860-004	00880-004	
Trigger (12/cs)	N/A	00860-007	N/A	
Aerosol (12/cs)	N/A	JAX110	N/A	



